

STATE OF NEBRASKA  
DEPARTMENT OF ROADS  
ADDENDUM NO. 2  
AND  
ELECTRONIC BIDDING SYSTEM  
AMENDMENT NO. 2  
PROJECT NO. IM-80-4(138)  
CONTROL NO. 61426  
CALL NO. 600  
I-80, COZAD - DARR  
LETTING DATE: SEPTEMBER 29, 2011

The Schedule of Items is amended as follows:

1. In Group 9, the bid item "Asphaltic Concrete, Type SP5(0.375)" has been eliminated.
2. In Group 9, the bid item "Asphaltic Concrete for Patching, Type SP5(0.375)" has been eliminated.
3. In Group 9, the bid item "Asphaltic Concrete, Type SP5(0.5)" has been added with a quantity of 106,800.000 TON.
4. In Group 9, the bid item "Asphaltic Concrete for Patching, Type SP5(0.5)" has been added with a quantity of 100.000 TON.

The EBS generated bid items sheets must show these corrections or the bid will be considered void.

\* \* \* \* \*

On page 154 of the Special Provisions, the provision titled **SUPERPAVE ASPHALTIC CONCRETE** is amended to read:

Section 1028 in the Standard Specifications is amended to provide that Asphaltic Concrete, Type SP5 shall use the 0.5 inch gradation band.

\* \* \* \* \*

On page 154 In the Special Provisions, the provision titled **SECTION 1028 – SUPERPAVE ASPHALTIC CONCRETE (J-7-0311)** is amended as follows:

1. On page 167, in **Table 1028.12**, the **Ndes** and **Nmax** values for Asphaltic Concrete SP5 are amended to read:

Asph. Conc. Type	Nini	Ndes	Nmax
SP5	8	95	150

2. On page 168, the title of **Table 1028.14** is amended to read:

Table 1028.14  
Voids in Mineral Aggregate  
Criteria at Ndes  
(For Information Only)

\* \* \* \* \*

3. On page 174, in **Table 1028.20, Production Tolerances**, the following items are void:

<b>TEST</b>	<b>Allowable Single Test Deviation from Specification</b>
Voids in the Mineral Aggregate for all other mixes.	- 1.00% to +1.25% from Min.

\* \* \* \* \*

Upon execution of the contract, the plans will be revised to reflect these changes.

DEPARTMENT OF ROADS

Original signed by Mike Stoltenberg

for Claude Oie  
Construction Engineer

Issued: September 23, 2011

CO:600AD209

NOTICE: Only the contractors issued bidding proposals receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the contractor.